

Supplementary Materials

Appendix S2. Native plant species present at \geq two of three localities (Dart River, Garibaldi Plateau and North Canterbury limestone areas) but which were absent from moa gizzard content / coprolite specimens at those localities, and for which their genera have not been recorded in moa diets from elsewhere. *Present only as rare pollen in one coprolite and therefore unlikely to represent diet.

Species	Number of localities
<i>Luzula banksiana</i>	3
<i>Luzula picta</i>	3
<i>Luzuriaga parviflora</i>	3
<i>Arthropodium candidum</i>	2
<i>Corybas trilobus</i>	2
<i>Discaria toumatou</i>	2
<i>Geum cockaynei</i>	2
<i>Geum leiospermum</i>	2
<i>Herpolirion novae-zelandiae</i>	2
<i>Kunzea ericoides</i>	2
<i>Libertia ixioides</i>	2
<i>Libocedrus bidwillii</i>	2
<i>Luzula rufa</i>	2
<i>Microtis unifolia</i>	2
<i>Parsonsia heterophylla</i>	2
<i>Potamogeton cheesemanii</i>	2
<i>Pseudowintera colorata</i> *	2
<i>Pterostylis montana</i>	2
<i>Schefflera digitata</i>	2
<i>Sophora microphylla</i>	2
<i>Thelymitra longifolia</i>	2